

In re the Application of **KEITH VIVIAN ALEXANDER**
U.S. Appln. No. **not assigned yet**
International Appln. No. PCT/NZ2004/000188
Docket No. 0074-537932

- 1.(original) A powered unicycle including:
 - a wheel driven by a motor;
 - a control system arranged to automatically maintain the fore-aft balance of the unicycle via operation of the motor;
 - a handlebar, coupled to the wheel by a pillar, which is operable to steer the wheel; and
 - a rider-support which supports a rider, and which is pivotally mounted about an axis which is at least approximately vertical in use of the unicycle.
- 2.(original) A powered unicycle according to claim 1, wherein the rider-support is pivotally mounted to the pillar by a pivotal connection.
- 3(original) A powered unicycle according to claim 2, wherein the pivotal connection is configured to resiliently urge the rider support toward a central position relative to the wheel.
- 4.(original) A powered unicycle according to claim 3, wherein the pivotal connection includes a bush formed from resilient material located about a lower portion of the pillar and a sleeve coupled to the rider-support which surrounds the bush.
- 5.(original) A powered unicycle according to claim 2, wherein the pivotal connection includes a spring mechanism arranged to urge the rider-support toward a central position relative to the wheel.
- 6.(original) A powered unicycle according to claim 5, wherein the spring mechanism

In re the Application of **KEITH VIVIAN ALEXANDER**
U.S. Appln. No. **not assigned yet**
International Appln. No. PCT/NZ2004/000188
Docket No. 0074-537932

includes two arms fixed relative to either the pillar or the rider-support and against which springs operate to urge the rider-support toward said central position.

7.(currently amended) A powered unicycle according to ~~any one of the preceding claims~~ claim 1, wherein the rider-support is a standing platform upon which the rider may stand.

8.(currently amended) A powered unicycle according to ~~any one of claims 1-6~~ claim 1, wherein the rider-support includes a seat upon which the rider may sit.

9.(original) A powered unicycle according to claim 8, wherein the rider-support further includes a foot platform upon which the rider may place their feet while sitting on the seat.

10.(original) A powered unicycle according to claim 1, wherein the rider-support is a seat, mounted to the pillar by a seat post, the seat being pivotal upon the seat post.

11.(original) A powered unicycle according to claim 1, wherein unicycle includes two rider- supports, each being a foot pad pivotally mounted on a standing platform which is rigidly mounted to the pillar.

12.(original) A powered unicycle according to claim 11, wherein the foot pads are biased toward a central position relative to the wheel.

13.(currently amended) A powered unicycle according to ~~any one of the preceding~~

In re the Application of **KEITH VIVIAN ALEXANDER**
U.S. Appln. No. **not assigned yet**
International Appln. No. PCT/NZ2004/000188
Docket No. 0074-537932

~~claims~~ claim 1, wherein the control system has one or more associated sensors arranged to detect whether the pillar and wheel are aligned with the local gravitational and inertial force field.

14.(original) A powered unicycle according to claim 13, wherein the control system is arranged to operate the motor to accelerate the wheel when it is detected as behind the field and to decelerate the wheel when it is detected as ahead of the field, to automatically maintain the fore-aft balance of the unicycle.

15.(original) A powered unicycle including:
a wheel driven by a motor;
a control system arranged to automatically maintain the fore-aft balance of the unicycle via operation of the motor;
a handlebar, coupled to the wheel by a pillar, which is operable to steer the wheel; and
a standing platform, upon which a rider may stand, which is pivotally mounted about an axis which is at least approximately vertical in use of the unicycle.

16.(original) A powered unicycle according to claim 15, wherein the standing platform is pivotally mounted to the pillar by a pivotal connection.

17.(original) A powered unicycle according to claim 16, wherein the pivotal connection is configured to resiliently urge the standing platform toward a central position relative to the wheel.

In re the Application of **KEITH VIVIAN ALEXANDER**
U.S. Appln. No. **not assigned yet**
International Appln. No. PCT/NZ2004/000188
Docket No. 0074-537932

18.(original) A powered unicycle according to claim 16, wherein the pivotal connection includes a spring mechanism arranged to urge the standing platform toward a central position relative to the wheel.

19.(original) A powered unicycle including:
a wheel driven by a motor;
a control system arranged to automatically maintain the fore-aft balance of the unicycle via operation of the motor;
a handlebar, coupled to the wheel by a pillar, which is operable to steer the wheel;
a platform fixed to the pillar; and
two foot pads each pivotally mounted to the platform about an axis which is at least approximately vertical in use of the unicycle, upon which the rider may stand.

20.(original) A powered unicycle according to claim 19, wherein the foot pads are biased toward a central position relative to the wheel.